

**BRIG**





















# UNIQUE**STYLE**

Owning a BRIG is all about the freedom of getting out and enjoying the water in safety and in style. Your BRIG gives you a great platform for all watersports - fishing, scuba diving, water skiing – and gives you the ability to explore the coast and get to hidden coves and secret beaches.

There are many innovative design features as standard but each BRIG also comes with a range of optional extras so that you can customise your boat to suit your exact requirements. We are even able to offer a wide range of tube colours and gel coat colours on the larger models, speak to your dealer for more information or visit **[www.brig.com.au](http://www.brig.com.au)**







**EAGLE**SERIES











# EAGLE 780







# EAGLE 780

The Eagle 780 is the largest and most powerful boat in the Eagle range. The longer waterline length and deep 38° V hull increases stability at speed making this a comfortable, stable but exhilarating ride with superb handling. The design features a large console compartment that can take

a marine commode, a driver's seat locker that can house a fridge, a 340L fuel tank, electric anchor hoist, two bilge pumps, a 45L fresh water tank, shower, a folding ladder and ski mast.

The 780 is the ultimate high spec Eagle sports RIB.


## Standard Features

Hypalon ORCA® Tubes  
Deep V hull  
Anti-skid deck surface  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate  
Front towing bow ring  
Rear cleats (bollards)  
Front cleats (bollards)  
Built-in davit lifting points  
Rubbing strake

Safety handles & carrying handles  
2 paddles & foot pump  
Tube repair kit  
Accessories bag  
Owner's manual  
Steering console  
Combined pilot seat/bolster  
Steering system (hydraulic)  
Steering wheel  
Polyester arch  
Navigation lights  
Automatic bilge pump  
Battery container  
Battery isolation switch

Fuel gauge  
Front locker removable cushion  
Rear cushion with soft back  
Fresh water shower/washdown  
Foldable stainless steel ladder with platform  
Bow infill cushions  
Removable table  
Ski mast  
Bimini/Suntop  
Anchor with lifting mechanism





# E780

## Specifications

Length Overall (cm)	785
Width Overall (cm)	290
Height Overall (cm)	229
Tube Diameter (cm)	58
No. of Chambers	5
No. of Persons	8/16
Boat Weight (net) (kg)	1080
Maximum Payload (kg)	1940
Minimum Power (HP)	200
Recommended Power (HP)	250
Maximum Power (HP)	300
Design Category	B/C
Fuel Tank Capacity (L)	340
Fresh Water Capacity (L)	45

### Colours (optional colours)



### Recommended Engine

Honda 250HP four-stroke

Engine weight 284kg.

Boat and engine weight (wet) 1642kg.



### Optional Engines

Yamaha 300HP 4 Stroke

Mercury Verado 300HP 4 stroke









**EAGLE**650





# EAGLE 650

The newly launched Eagle 650 has evolved from the original 645, the popular and best-selling family cruiser. The 650 is even more spacious with comfortable seating for 8 people but can carry up to 13 safely. The sociable bow area has a sunpad infill for lounging. The signature tube-end steps not only increase the

waterline length for better performance but offer a practical boarding solution in shallow water. For deeper water there is a foldable ladder. There are four lockers and large stern lazarette for watersports toys. The boat's deep V hull cuts through waves and gives an incredibly dry ride even at speed.

## Standard Features

- Hypalon ORCA® Tubes
- Deep V hull
- Anti-skid deck surface
- Hard tube ends with two antiskid steps on each
- Front and rear stowage lockers
- Hull ventilation system
- Twin self-bailing unit
- Built-in fuel tank with external deck filler
- Front step-plate
- Front towing bow ring
- Rear cleats (bollards)
- Front cleats (bollards)
- Built-in davit lifting points

- Rubbing strake
- Safety handles & carrying handles
- 2 paddles & foot pump
- Tube repair kit
- Accessories bag
- Owner's manual
- Steering console
- Combined pilot seat/bolster
- Steering wheel
- Polyester arch
- Navigation lights
- Automatic bilge pump
- Battery container
- Battery isolation switch
- Waterski towing eye

- Removable table
- Fuel gauge
- Front locker removable cushion
- Rear cushion with soft back
- Steering system (hydraulic)
- Fresh water shower/washdown
- Foldable stainless steel ladder with platform
- Bow infill cushions
- Ski mast
- Overall cover
- Bimini/Suntop





# E650

## Specifications

Length Overall (cm)	650
Width Overall (cm)	250
Height Overall (cm)	233
Tube Diameter (cm)	55
No. of Chambers	5
No. of Persons	13
Boat Weight (net) (kg)	735
Maximum Payload (kg)	1650
Minimum Power (HP)	115
Recommended Power (HP)	150
Maximum Power (HP)	225
Design Category	B/C
Fuel Tank Capacity (L)	200
Fresh Water Capacity (L)	45

### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Recommended Engine

Honda 150HP to 225HP four-stroke  
 225HP Engine weight 267kg.  
 Boat and engine weight (wet) 1144kg.





# EAGLE 580











The Eagle 580 is a performance sports boat with comfort and safety in mind. There are extra grab rails throughout and anti-slip foot pads along the length of the tubes. The central stern navigation mast doubles as a ski pole and there is extra stowage for water sports toys in the four large lockers. An optional

picnic table can be set up in the bow, alternatively infill cushions can create a large sunpad for lounging here at anchor. The driver's console is comfortable and practical with dual seating positions, wrap-around grab rail and an anti-skid foot well. The Eagle 580 sports boat is agile, responsive and comfortable.

## Standard Features

Hypalon ORCA® Tubes  
Deep V hull  
Anti-skid deck surface  
Hard tube ends with two antiskid steps on each  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate  
Front towing bow ring  
Rear cleats (bollards)  
Built-in davit lifting points

Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering console  
Combined pilot seat/bolster  
Steering wheel  
Mast for navigation lights  
Navigation lights  
Automatic bilge pump  
Battery container  
Battery isolation switch

Fuel gauge  
Waterski towing eyes  
Front locker removable cushion  
Rear cushion with soft back  
Steering system (hydraulic)  
Fresh water shower/washdown  
Foldable stainless steel ladder with platform  
Bow sundeck set with cushions  
Removable table  
Lifting slings  
Overall cover  
Bimini/suntop





# E580

## Specifications

Length Overall (cm)	580
Width Overall (cm)	240
Height Overall (cm)	190
Tube Diameter (cm)	51
No. of Chambers	5
No. of Persons	10
Boat Weight (net) (kg)	565
Maximum Payload (kg)	1220
Minimum Power (HP)	75
Recommended Power (HP)	90
Maximum Power (HP)	135
Design Category	C
Fuel Tank Capacity (L)	98
Fresh Water Capacity (L)	39

### Colours (optional colours)

Tube						
Gel						

### Recommended Engine

Honda 90HP to 135HP four-stroke  
Engine weight 217kg.  
Boat and engine weight (wet) 790kg.







**EAGLE**480









We are delighted to introduce the brand new Eagle 480. Building on the success of the famous Eagle 500. A sleek, lower profile, upgraded quality finishes, more comfortable seating and clever stowage

solutions make this a great sports cruiser.


The extra wide tube diameter and generous 2.3m beam make the ride superbly stable and comfortably dry. More space, more storage, more style.

## Standard Features

Hypalon ORCA® Fabric  
Deep V rigid hull  
Anti-skid deck surface  
Hard tube ends with two antiskid steps on each  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Fresh water shower/washdown  
Built-in fuel tank with external deck filler

Front step-plate  
Front towing bow ring  
Rear cleats (bollards)  
Built-in davit lifting points  
Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering system (hydraulic)

Steering console  
Steering wheel  
Mast with navigation lights  
Overall cover  
Suntop  
Automatic bilge pump  
Battery container  
Battery isolation switch  
Fuel gauge  
Front lockers removable cushions  
Rear cushion soft back



# E480

## Specifications

Length Overall (cm)	480
Width Overall (cm)	230
Height Overall (cm)	152
Tube Diameter (cm)	51
No. of Chambers	5
No. of Persons	8
Boat Weight (net) (kg)	420
Maximum Payload (kg)	950
Minimum Power (HP)	60
Recommended Power (HP)	100
Maximum Power (HP)	115
Design Category	C
Fuel Tank Capacity (L)	98
Fresh Water Capacity (L)	39

### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Recommended Engine

Honda 100HP to 115HP four-stroke  
 Engine weight 167kg.  
 Boat and engine weight (wet) 680kg.







**EAGLE**380









# EAGLE 380

The Eagle 380 is a high specification, fast RIB, often chosen as a comfortable, luxurious tender for larger yachts.

The same trademark tube end steps and extended length on the waterline give excellent seaworthiness. Wider tubes

give a drier ride even under heavy load.

The driving position is comfortable over long distances with extra leg room.

The quality of finish and unique design details make the Eagle 380 excellent value for money in the luxury 3–4m RIB category.

## Standard Features

Hypalon ORCA® Tubes  
Deep V hull  
Anti-skid deck surface  
Hard tube ends with two antiskid steps on each  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate

Front towing bow ring  
Front cleats (bollards)  
Built-in davit lifting points  
Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering console  
Steering system (mechanical)

Steering wheel  
Navigation lights  
Automatic bilge pump  
Battery container  
Battery isolation switch  
Fuel gauge  
Waterski towing eyes  
Front locker removable cushion  
Rear cushion with soft back  
Lifting slings  
Overall cover





# E380

## Specifications

Length Overall (cm)	383
Width Overall (cm)	193
Height Overall (cm)	115
Tube Diameter (cm)	46
No. of Chambers	3
No. of Persons	5
Boat Weight (net) (kg)	210
Maximum Payload (kg)	700
Minimum Power (HP)	25
Recommended Power (HP)	40
Maximum Power (HP)	50
Design Category	C
Fuel Tank Capacity (L)	43



### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Recommended Engine

Honda 50HP four-stroke  
50HP Engine weight 98kg.  
Boat and engine weight (wet) 348kg.







**EAGLE**340









The 340 is the baby in the Eagle range and was designed specifically as a luxury sports tender. It is extremely comfortable and dry for its size even in heavy seas with the deep V hull cutting through waves. The navigation lights are mounted

on the bow block which has a moulded channel to take the anchor line and protect the tubes from rubbing. There is comfortable seating for four passengers with large lockers under each seat.

## Standard Features

Hypalon ORCA® Tubes  
Deep V hull  
Anti-skid deck surface  
Hard tube ends with two antiskid steps on each  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate

Front towing bow ring  
Front cleats (bollards)  
Built-in davit lifting points  
Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering console  
Steering system (mechanical)

Steering wheel  
Navigation lights  
Automatic bilge pump  
Battery container  
Battery isolation switch  
Fuel gauge  
Waterski towing eyes  
Front locker removable cushion  
Rear cushion with soft back  
Lifting slings  
Overall cover



## E340

### Specifications

Length Overall (cm)	340
Width Overall (cm)	178
Height Overall (cm)	112
Tube Diameter (cm)	46
No. of Chambers	3
No. of Persons	4
Boat Weight (net) (kg)	180
Maximum Payload (kg)	600
Minimum Power (HP)	20
Recommended Power (HP)	40
Maximum Power (HP)	40
Design Category	C
Fuel Tank Capacity (L)	33



#### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**Recommended Engine**  
 Honda 40HP four-stroke  
 40HP engine weight 86kg.  
 Boat and engine weight (wet) 298kg.





# NAVIGATOR SERIES











**NAVIGATOR** 700





The Navigator 700 is all about freedom, getting out and enjoying the water safely and in style. With a great platform for all watersports – wakeboarding, water skiing, scuba diving and fishing – you

have the ability to explore the coast, access hidden coves and secret beaches. The solid construction and seating provides the pinnacle of safety and stability when pushed to the limit.

## Standard Features

Hypalon ORCA® Fabric  
Deep V hull  
Anti-skid deck surface  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate  
Front towing bow ring  
Rear cleats (bollards)

Built-in davit lifting points  
Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering console  
4 x single jockey seat  
Steering system (hydraulic)  
Steering wheel

Overall cover  
Bimini/suntop  
Stainless steel arch with navigation lights  
Automatic bilge pump  
Battery container  
Battery isolation switch  
Fuel gauge  
Wake/ski towing point  
Front locker removable cushion  
Rear cushion with soft back



## N700 Specifications

Length Overall (cm)	700
Width Overall (cm)	280
Height Overall (cm)	208
Tube Diameter (cm)	58
No. of Chambers	5
No. of Persons	12
Boat Weight (net) (kg)	700
Maximum Payload (kg)	1800
Minimum Power (HP)	115
Recommended Power (HP)	225
Maximum Power (HP)	225
Design Category	C/B
Fuel Tank Capacity (L)	340

### Colours (optional colours)

Tube					
Gel					

### Recommended Engine

225HP four-stroke  
225HP Engine weight 267kg.  
Boat and engine weight (wet) 1350kg.







**NAVIGATOR**610









# NAVIGATOR 610

The Navigator 610 has been designed and built with adventure in mind. A reinforced deep-V hull, wide console, comfortable helm seating (or optional

ergonomic jockey seats) and rear bench seat gives this boat a stunning ride, even at speed. The BRIG Navigator 610 can carry 10 passengers in style and safety.

## Standard Features

Hypalon ORCA®  
Fabric Deep V hull  
Anti-skid deck surface  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate  
Front towing bow ring  
Rear cleats (bollards)

Built-in davit lifting points  
Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering console  
4 x single jockey seat  
Steering system (hydraulic)  
Steering wheel

Overall cover  
Bimini/suntop  
Stainless steel arch with navigation lights  
Automatic bilge pump  
Battery container  
Battery isolation switch  
Fuel gauge  
Wake/ski towing point  
Front locker removable cushion  
Rear cushion with soft back



# N610

## Specifications

Length Overall (cm)	610
Width Overall (cm)	230
Height Overall (cm)	190
Tube Diameter (cm)	50
No. of Chambers	5
No. of Persons	10
Boat Weight (net) (kg)	570
Maximum Payload (kg)	1300
Minimum Power (HP)	75
Recommended Power (HP)	135
Maximum Power (HP)	150
Design Category	C
Fuel Tank Capacity (L)	121



### Colours (optional colours)

Tube						
Gel						

**Recommended Engine**  
 Honda 135HP four-stroke  
 Engine weight 167kg.  
 Boat and engine weight (wet) 830kg.







**NAVIGATOR**570









# NAVIGATOR 570

The Navigator 570 is a development of the hugely successful tried and tested Falcon 570. Using the proven hull and tube design of the Falcon 570 the Navigator boasts some clever new developments. The newly designed splash-back well incorporates a large rear watersports locker with bench seat over.

The console is positioned slightly further forward allowing comfortable seating aft for five and a further four up in front. With a newly designed practical and good looking A-frame and fast, smooth performance driven by up to 115hp, the Navigator 570 is an exciting new development.

## Standard Features

Hypalon ORCA® Tubes  
Deep V hull  
Anti-skid deck surface  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate  
Front towing bow ring  
Rear cleats (bollards)

Built-in davit lifting points  
Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering console  
2 x single jockey seat  
Steering system (mechanical)  
Steering wheel

Automatic bilge pump  
Battery container  
Battery isolation switch  
Fuel gauge  
Wake/ski towing point  
Front locker removable cushion  
Rear cushion with soft back  
Overall cover  
Stainless steel arch with navigation lights



## N570 Specifications

Length Overall (cm)	570
Width Overall (cm)	230
Height Overall (cm)	190
Tube Diameter (cm)	50
No. of Chambers	5
No. of Persons	10
Boat Weight (net) (kg)	380
Maximum Payload (kg)	1220
Minimum Power (HP)	75
Recommended Power (HP)	100
Maximum Power (HP)	120
Design Category	C
Fuel Tank Capacity (L)	98

### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Recommended Engine

Honda 100HP to 115HP four-stroke  
Engine weight 167kg.  
Boat and engine weight (wet) 680kg.







**NAVIGATOR**520









# NAVIGATOR520

The Navigator 520 is the latest edition to the highly regarded Navigator range. The N520 retains the generous 230 cm beam as its larger family members and thus

offers an exceptionally comfortable and dry ride. The N520 is the ideal support boat for a sailing fleet or those who are seeking a safe and affordable family leisure boat.

## Standard Features

Hypalon ORCA® Tubes  
Deep V hull  
Anti-skid deck surface  
Front and rear stowage lockers  
Hull ventilation system  
Twin self-bailing unit  
Built-in fuel tank with external deck filler  
Front step-plate  
Front towing bow ring  
Rear cleats (bollards)

Built-in davit lifting points  
Rubbing strake  
Safety handles & carrying handles  
2 paddles & foot pump  
Repair kit  
Accessories bag  
Owner's manual  
Steering console  
2 x single jockey seat  
Steering system (mechanical)  
Steering wheel

Automatic bilge pump  
Battery container  
Battery isolation switch  
Fuel gauge  
Wake/ski towing point  
Front locker removable cushion  
Rear cushion with soft back  
Overall cover  
Stainless steel arch with navigation lights



## N520 Specifications

Length Overall (cm)	520
Width Overall (cm)	230
Height Overall (cm)	190
Tube Diameter (cm)	50
No. of Chambers	5
No. of Persons	9
Boat Weight (net) (kg)	440
Maximum Payload (kg)	1110
Minimum Power (HP)	50
Recommended Power (HP)	80
Maximum Power (HP)	100
Design Category	C
Fuel Tank Capacity (L)	98



### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Recommended Engine

Honda 80HP four-stroke  
Engine weight 165kg.  
Boat and engine weight (wet) 725kg.





# FALCON SERIES

## RIDERS & TENDERS

The Falcon Riders are available in three models. The Original with open cockpit, the Sports model with sports console and pillion seating and the Luxury model with bench style seating and a host of optional extras.

The Falcon Tenders are a series of boats equipped with a solid rigid hull (deck) for use as tenders aboard powerboats and yachts, as well as for recreation.










# FALCON 500 /S

The Falcon 500 is available in three models. The original 500 with open cockpit, the 500S with sports console and pillion seating and the 500L luxury model with armchair seating for the pilot.


## FALCONRIDERS



**F500L**



**F500S**



**F500**

## Standard Features

- Hypalon ORCA® Tubes
- Deep V hull with reinforced deck
- Anti-skid deck surface
- Front stowage lockers
- Hull ventilation system
- Twin self-bailing unit
- Built-in fuel tank with external deck filler
- Fuel gauge
- Front towing bow ring
- Built-in davit lifting points

- Rubbing strake
- Rail stanchion with lifeline & carrying handles
- 2 paddles & foot pump
- Repair kit
- Accessories bag
- User's manual
- Steering console
- Combined pilot seat/bolster\*
- Steering system/Steering wheel
- Front locker removable cushion


- Stainless steel arch
- Navigation lights
- Set of 2 marine switches with fuses
- Battery container
- Socket 12V with fuse
- Power cable + battery isolation switch
- Overall cover
- Bimini/suntop
- Front step-plate/anchor roller/rope cleat





## F500/L/S Specifications

Length Overall (cm)	500
Width Overall (cm)	215
Height Overall (cm)	185
Tube Diameter (cm)	50
No. of Chambers	5
No. of Persons	9
Boat Weight (net) (kg)	185*
Maximum Payload (kg)	1100
Minimum Power (HP)	40
Recommended Power (HP)	50
Maximum Power (HP)	75
Design Category	C
Fuel Tank Capacity (L)	43



### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Recommended Engine

Honda 50HP four-stroke  
50HP Engine weight 98kg.  
Boat and engine weight (wet) 348kg.







# FALCON 450 /S

The Falcon 450 is also available in three models. The original 450 with open cockpit, the 450S with sports console and pillion seating and the 450L luxury model with the armchair seating for the pilot.

## FALCONRIDERS



## Standard Features

- Hypalon ORCA® Tubes
- Deep V rigid hull
- Anti-skid deck surface
- 2-sections bow stowage locker
- Twin self-bailing unit
- Tough raised rubbing strake
- Oars and oar stowage
- 3 towing bow rings

- 4 built-in davit lifting points
- Carrying and safety handles
- Foot pump
- Repair kit
- Accessories bag
- User's manual
- Fuel tank
- Bow cushions

\*Not available on the F500S

- Sundeck with cushions
- A-Frame with navigation lights
- Compass
- Overall cover
- Steering console
- Seat with stowage\*
- Steering system
- Bimini/suntop



## F450/L/s Specifications

Length Overall (cm)	445
Width Overall (cm)	195
Height Overall (cm)	175
Tube Diameter (cm)	50
No. of Chambers	4
No. of Persons	7
Boat Weight (net) (kg)	126*
Maximum Payload (kg)	900
Minimum Power (HP)	25
Recommended Power (HP)	40
Maximum Power (HP)	60
Design Category	C
Fuel Tank Capacity (L)	43



### Colours (optional colours)

Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Recommended Engine

Honda 40HP four-stroke  
40HP engine weight 98kg.  
Boat and engine weight (wet) 278kg.







# FALCON 400 /S

The Falcon 400 is also available in three models. The original 450 with open cockpit, the 400S with sports console and pillion seating and the 400L luxury model with armchair seating for the pilot.

## FALCON RIDERS



**F400L**



**F400S**



**F400**

## Standard Features

Hypalon ORCA® Tubes  
Deep V rigid hull  
Anti-skid deck surface  
Bow stowage locker  
One-way drain system  
Tough raised rubbing strake  
Oars and oar stowage  
3 towing bow rings

4 built-in davit lifting points  
Carrying and safety handles  
Foot pump  
Repair kit  
Accessories bag  
User's manual  
Bow cushions  
Sundeck with cushions

\*Not available on the F400S

A-Frame with navigation lights  
Compass  
Overall cover  
Steering console  
Seat with stowage\*  
Steering system  
Bimini/suntop



## F400/L/s

### Specifications

Length Overall (cm)	393
Width Overall (cm)	193
Height Overall (cm)	175
Tube Diameter (cm)	48
No. of Chambers	4
No. of Persons	6
Boat Weight (net) (kg)	114*
Maximum Payload (kg)	800
Minimum Power (HP)	25
Recommended Power (HP)	30
Maximum Power (HP)	50
Design Category	C



#### Colours (optional colours)



#### Recommended Engine

Honda 30HP four-stroke  
30HP engine weight 72kg.  
Boat and engine weight (wet) 227kg.







# FALCON TENDERS

FALCON Tenders are a series of boats equipped with a solid rigid hull (deck) for use as tenders aboard powerboats and yachts, as well as for recreation. The strong fiberglass hull in combination with inflatable buoyancy tubes gives these boats a smooth, dry ride.

## FALCON TENDERS



**F360/T/S**



**F330/T/S**



**F300/T/S**

## Standard Features

Hypalon ORCA® Tubes  
Medium V rigid hull  
Deep V rigid hull (360 only)  
Anti-skid deck surface  
Bow stowage locker (F360/L/S, F330/L/S)  
One-way drain system  
Tough raised rubbing strake  
Oars and oar stowage

\*Not available on the sport and luxury

3 towing bow rings  
4 built-in davit lifting points  
Carrying and safety handles  
Wooden seat\*  
Foot pump  
Repair kit & accessories bag  
User's manual

## Colours (optional colours)

Tube      

Gel      

# Specifications

	Length overall (cm)	Width overall (cm)	Height Overall (cm)	Tube Diameter (cm)	No. of Chambers	No. of Persons	Boat Weight (net) (kg)	Maximum Payload (kg)	Maximum Power (HP)	Design Category
<b>F360T</b>	350	175	85	45	3	5	130*	600	35	C
<b>F360S</b>	360	175	95	45	3	5	90*	600	35	C
<b>F360</b>	360	175	78	45	3	5	90	600	35	C
<b>F330T</b>	320	164	85	40	3	4	115*	550	25	C
<b>F330S</b>	330	164	95	40	3	4	75*	550	25	C
<b>F330</b>	330	164	70	40	3	4	75	550	25	C
<b>F300T</b>	290	164	85	40	3	4	100*	500	20	C
<b>F300S</b>	300	164	95	40	3	4	65*	500	20	C
<b>F300</b>	300	164	70	40	3	4	65	500	20	C
<b>F275</b>	275	150	65	40	3	4	55	350	10	D



Dimensions do not include engine dimensions.  
 Dimensions indicated have a tolerance of ±3%.  
 Weight measurements have a tolerance of ±5%.

**Falcon 300/330/360 S (ONLY)**  
**Recommended Engine**  
 Honda 20HP four-stroke.

20HP engine weight 46.5kg.  
 F360S boat and engine weight (wet) 179kg.  
 F330S boat and engine weight (wet) 164kg.  
 F330S boat and engine weight (wet) 154kg.









**BRIG**

















All particulars are believed to be correct but cannot be guaranteed.



# BRIG

Australia's leading brand

## AUSTRALIAN DEALERS

### **New South Wales**

Sirocco Marine South  
79-81 Cawarra Road  
Caringbah NSW 2229

Contact: Liam O'Halloran  
Telephone: 02 9524 8288  
Mobile: 0410 131 438  
Facsimile: 02 9526 8945  
[liam@siroccomarinesouth.com.au](mailto:liam@siroccomarinesouth.com.au)

### **Queensland**

Sirocco Marine North  
14/175 Waterway Drive  
Coomera QLD 4209

Contact: Dylan Lopez  
Telephone: 07 5519 9653  
Mobile: 0424 487 226  
Facsimile: 07 5573 4832  
[dylan@siroccomarinenorth.com](mailto:dylan@siroccomarinenorth.com)

### **Western Australia**

Sirocco Marine Perth  
309 South Terrace  
South Fremantle WA 6162

Contact: Mark Mawby  
Telephone: 08 9467 4144  
Mobile: 0499 887 072  
[mark@siroccomarineperth.com.au](mailto:mark@siroccomarineperth.com.au)

### **Dealer Enquiries**

Sirocco Marine  
Jones Bay Wharf, Lower Deck  
Suite 70, 26-32 Pirrama Road  
Pyrmont NSW 2009

Contact: Neil Webster  
Telephone: 02 9552 3366  
Mobile: 0418 247 461  
Facsimile: 02 9552 3377  
[neilw@siroccomarine.com](mailto:neilw@siroccomarine.com)

*SIROCCO*  
**MARINE**

[www.siroccomarine.com.au](http://www.siroccomarine.com.au)

**[www.brig.com.au](http://www.brig.com.au)**